

PRODUCTS	CAPACITY	SPECIFICATIONS IN MM							
		DIA	HEIGHT	LID	INLET	OUTLET	OVERFLOW		
VERTICAL TANKS	500 LITERS	900	965	400 mm	50/40	40 MM FEMALE	NA		
	1000 LITERS	1240	1180	400 mm	50/40	40 MM FEMALE	NA		
	2000 LITERS	1400	1570	400 mm	50/40	40 MM FEMALE	NA		
	2200 LITERS	1400	1770	400 mm	50/40	40 MM FEMALE	NA		
	2500 LITERS	1455	1750	400 mm	50/40	40 MM FEMALE	40 MM REDU BUSH		
	5000 LITERS	1880	2170	400 mm	50/40	40 MM FEMALE	40 MM REDU BUSH		
	10000 LITERS	2350	2890	400 mm	50/40	40 MM FEMALE	40 MM REDU BUSH		
VERTICAL MUST (Multi Utility slim tank)	1000 LITERS	800	1950	400 mm	32/25	40 MM FEMALE	32/25		





PRODUCTS	CAPACITY	SPECIFICATIONS IN MM							
		WIDTH	HEIGHT	LENGTH	INLET	OUTLET	LID		
HORIZONTAL TANKS	500 LITERS	845	865	1280	50/40	40 MM FEMALE	400 mm		
	1000 LITERS	1340	1030	1700	50/40	40 MM FEMALE	400 mm		
	2000 LITERS	1020	1290	1980	50/40	40 MM FEMALE	400 mm		
	2500 LITERS	1250	1360	2160	50/40	40 MM FEMALE	400 mm		
	5000 LITERS	1720	1710	2900	50/40	40 MM FEMALE	400 mm		





What is Grey water system?

Waste from baths and showers is grey water, it looks cloudy in appearance and can be filtered for reuse. Water from the kitchen sink, dishwasher and toilet cannot be used because it has far too many contaminants such as bacteria, greases and chemicals. Black water is extremely toxic and should be sent down into the sewerage system where right treatment is possible. Whilst grey water contains soap, detergents, hair and bacteria. It still can be recycled through water system that consists of filters and purifiers. Once this process is complete the water is clean enough to be used for watering gardens including vegetable patches.

Advantages of Grey water recycling and reuse

- · Save municipal water used for gardening
- Reduce the damand on your resevoir
- Increase the lifespan of your septic system
 Less strain on public sewage treatment sysyem
- Reduction in energy use by the municipality
- · Reclamation of otherwise wasted nutrients
- Ground water recharge

*Available at majority of hardwares in Botswana



